

Cosmic Web Site Setting the Scene

You will create a World Wide Web site which explains the science behind the Big Bang theory of the origin of the Universe. Starting with a set of ready-made pages, called the Starter Pack, you will research the information needed to produce links to other pages which you design.

Pupil Research Brief

Study Guide

Syllabus Targets Science you will learn about in this Brief

- □ theories of the origin of the Universe have to take into account:
- that light from other galaxies is shifted towards the red end of the spectrum
- that the further away the galaxies are, the bigger the 'Red Shift'
- □ one way of explaining this is:

Route through the Brief



- that other galaxies are moving away from us very quickly
- that the further away from us a galaxy is, the faster it is moving away from us
- this suggests that the whole Universe is expanding and that it might have started, billions of years ago, from one place with a huge explosion, or 'big bang'

Outcome Checklist

You will learn about the World Wide Web, and how hypertext links are used. You will produce a World Wide Web site using the Starter Pack. You can use either the paper version, or the version on the World Wide Web. You will produce linked pages using hypertext hot links. You could include pictures as well as text to make the site more interesting and informative. You should make sure you produce the following items as you work through the Brief.

Starter Pack pages 1-6

- linked pages explaining the meaning of the words or phrases already highlighted in Starter Pack pages 1-6
- a list of new words or phrases for which you can write linked pages
- linked pages for the words or phrases you have identified

The Cosmic Web site

Introduction

On April 23rd, 1992, George Smoot, a US scientist addressed a meeting of the American Physical Society on the results of the COBE (Cosmic Background Explorer) research programme. During the questions after his talk, one of his answers was: "If you're religious, it's like seeing God". What had he and the scientists working on the COBE project discovered which would make him say this? In George Smoot's own words, they had "observed the oldest and largest structures ever seen in the early Universe. These were the primordial seeds of modern day structures such as galaxies, clusters of galaxies, and so on. Not only that, they represented huge ripples in the fabric of space-time left from the creation period".

COBE had discovered evidence of something which scientists had predicted would be necessary to explain the Big Bang theory of the origin of the Universe. Scientists looking at the largest structures in the Universe (astronomers) and those looking at the smallest (particle physicists) have in recent years worked together to explain the origin of the Universe, a subject called cosmology. The search for further evidence to prove that the Big Bang Theory is correct (or not) is one of the most exciting scientific projects currently taking place.

In this Pupil Research Brief, you will have the opportunity to share in some of the excitement, by getting involved in a project to create a World Wide Web site for your school which aims to tell all visitors to your site what is going on in Big Bang Science. In doing this you will not only learn some science, you will also be contributing to the public understanding of this important and expanding area of human knowledge. You will find Frank Close's article *Inside the Atom* (*PRISM*, Issue 1, September 1996) useful background reading.

There are two versions of the activity.

- 1. Setting up a World Wide Web site and making it available on the Internet. Go to the sheet *Making a World Wide Web site*.
- 2. Setting up a World Wide Web site simulation. This is useful for schools which do not have Web site facilities linked into the Internet. Go to the sheets *Making a WorldWide Web site simulation* 1 and 2.

The Cosmic Web site

Making a World Wide Web site

In this Pupil Research Brief you will be doing what a growing number of science and engineering researchers are doing using the Internet, and particularly the World Wide Web to communicate with others. Don't worry - if you haven't got a computer linked to the Internet you can still carry out the activites in the Brief (see the sheets *Making a World Wide Web site simulation* 1 and 2).

The World Wide Web was the idea of Tim Berners Lee, a scientist at CERN (the European particle physics laboratory in Geneva, Switzerland), in 1989. The purpose was to provide an efficient means of communication between particle physicists across the world. Now the World Wide Web is the fastest growing method of communication. In this Brief you will create a Web site on the topic of the Big Bang theory. This will cover the recent developments in astronomy and particle physics that support the theory which attempts to explain the origin of the Universe. The study, linking the smallest and the largest structures in the Universe, is called cosmology.

You are provided with a *Starter Pack*, which is available on paper, as well as electronically on the PRI Web site. The *Starter Pack* includes a number of screens which relate the current knowledge about the Big Bang theory.

Your job is to:

- produce hypertext links from the words and phrases identified on the screens to new pages which you create to explain the meaning of the words;
- read through the text carefully and decide what other hypertext links could be created, particularly for any terms or topics which you feel need explanation. You should provide the necessary linked pages for these terms or topics. You will need to carry out some research using books, magazines, CDs and the WWW itself;
- identify any links to other useful and interesting Web pages which already exist on the WWW;
- add any images, perhaps using those found on other Web sites, or create your own by scanning existing photographs (you will need to get the permission of the person who produced the photograph).

There will be an opportunity to enter your Web site in a PRI competition. See your teacher for details.

The Cosmic Web site

Making a World Wide Web site simulation 1

It is possible to create a World Wide Web site on paper. Some of you may not be familiar with how the WWW works, and so the first thing is to explain what it involves. Have a look at the PRI Web site simulation disk supplied with Pack 2 of the PRBs - see your teacher for a copy). This shows you what the WWW looks like. See how clicking the mouse on highlighted words takes you from one screen to another.

Hypertext

The ability to link one screen with one or more others uses an idea called hypertext. This is a system which allows the creator of the Web page to build in links to other parts of the same Web site or to the relevant bits of other Web sites.





elements

The Cosmic Web Site

Making a World Wide Web site simulation 2

Simulating a WWW page.

This Pupil Research Brief includes paper versions of six screens of information, all about the Big Bang theory. You should:

- lay out the pages on a table or stick onto a display board, in order. The words which are underlined are ones to make hot links to new pages which you create;
- stick a pin in each hot link word or phrase;
- read through the text carefully and identify using pins which other words or phrases could become hot links, particularly any terms or topics which you feel need explanation. You will need to carry out some research using books, magazines, CDs and the WWW itself;
- make a list of all the hot link words;

- allocate the hot link words to the members of your class or group, and research the information to write the page which explains the hot link words;
- identify any photographs or other graphics (you may have to photocopy or re-draw diagrams from books, magazines, worksheets or CD printouts);
- stick the photographs or graphics onto the pages;
- put the new pages onto the display;
- put pins in the title words of each of the new pages;
- join the pages to the original hot links by coloured thread;
- identify any new hot links which can be made between the words and phrases of the new pages.

Figure 2. Display board set out as Web site



; Filge Edit View Go Bookmarks Options Directory Help

ĒC						N	etscape			
	< €a⇒x	oc; Formend	谷 Home	(C) Peterd	an a	⊏>∘ 20000 Open	Д Рубі	in an	Stop	
Go	Goto: http://shu.ac.uk/schools/pri/index.htm									
۷	What's New? What's Cool? Handbook Net Search Net Directory Newsgroups									

The Big Bang

Starter Pack page 1

The expanding Universe

In 1929 American astronomer Edwin Hubble published details of work he had carried out at Mount Wilson Observatory in California.

He had observed many <u>galaxies</u> beyond our own and he discovered that all of them are moving away from each other - in other words, the Universe is expanding. If you draw dots on a balloon and blow it up you can see how the Universe expands. If you imagine each dot is a galaxy, as you blow up the balloon each dot, or galaxy, moves further away from all the others. Hubble knew that galaxies were moving away from one another by analysing light from the galaxies and measuring the <u>Red Shift</u>. He also noticed that the further away a galaxy is the faster it recedes, according to the equation z = v/c

- z = the fractional amount of red shift
- v = speed the galaxy is receding
- c = speed of light

and he related the distance of the galaxy (d) to its speed (v) by the equation $\mathbf{v} = \mathbf{H} \mathbf{x} \mathbf{d}$

- d = distance of the galaxy from Earth
- v = the speed a galaxy is moving away from Earth
- H = the Hubble constant. No-one knows yet the exact value of this number.

Hubble also introduced a system for classifying galaxies into spirals, barred spirals, ellipses and irregular types. The <u>space telescope</u> launched into orbit by NASA in 1990 is named after Edwin Hubble.

The Hubble Constant

The Hubble equation, v = H x d, seems so simple, but it could help astronomers to calculate the size and age of the Universe.

We don't yet know the precise value of the Hubble Constant, H, but the most commonly accepted value by cosmologists is 80±17 km/s/million <u>parsecs</u>. Appropriately, the Hubble Space Telescope is helping to get more accurate values of H by measuring the distance <u>variable stars</u> are from us.



🕻 Filig Edit View Go Bookmarks Options Directory Help



Starter Pack page 2

Cosmic ripples

If galaxies are hurtling away from one another at tremendous speed, the Universe is expanding. In the past it must have been smaller. If you go back far enough in time there must have been a moment when the whole Universe was concentrated in one spot. Then something like an explosion (the `Big Bang') flung them apart. When the explosion occurred an enormous amount of energy and matter was released.

Over the billions of years since the 'Big Bang' this energy would have become more and more dispersed, but traces of it should still be there. In the 1960's American scientists discovered that there were faint traces of microwave radiation coming from everywhere in space. This is called the <u>cosmic background radiation</u>. This radiation is very cold, only 2.73 degrees Kelvin on average, but it was calculated that the energy from the Big Bang would be as cool as this, and so it is further evidence to support the Big Bang theory.

Astronomers also realised that for galaxies to have formed, in the time they did, there must be 'hot-spots' - tiny fluctuations in density where galaxies could grow. In 1992 the <u>COBE</u> (Cosmic Background Explorer) satellite detected very slight variations in the temperature of the cosmic radiations. This shows that there were 'hot-spots' in the Universe, making the Big Bang theory seem even more likely.

Although most cosmologists believe that the Big Bang theory is probably correct not all of them are convinced. Even those who agree with the theory acknowledge that there are many questions still to be answered. The enormous amount of research work being carried out may well supply these answers in years to come. On the other hand there may be even more problems to solve as a result of the outcomes of this work. 🕻 Filip Edit View Go Bookmarks Options Directory Help

ĒC							etscape			
	Ka⇒ Sa⇒x	ocj Posrecand	谷 Home	Refered	N.	⊏>° 20002 Open) Pris		Stop	
Go	oto:	http://sh	u.ac.uk/scl	nools/pri/in	dex.htm					
W	'hat's M	lew? What	's Cool?	Handbool	k Net	Search	Net Direct	ory New	/sgroups	

Starter Pack page 3

In the beginning

Once the scientists knew that the Universe started with a Big Bang they could work on the complex theory of what happened and when, using <u>Einstein's Theory of Relativity</u>.

The theory is extremely complicated and the explanation of what happened at the beginning is very difficult, and scientists haven't worked out all the answers yet.

They have worked out what possibly happened, down to 10^{-43} seconds after the beginning! At this time the Universe would have been incredibly hot ~ 10^{32} K and concentrated into a space no bigger than the size of a hydrogen nucleus! From this moment until 10^{-34} seconds the Universe suddenly inflated to a diameter of 10 cm and the temperature dropped to 10^{27} K.

This is when the Big Bang occurred. Particles called quarks and leptons appeared and gravity came into being. At about 1 second the quarks came together to make protons and neutrons. The temperature was 10¹⁰K.

When the Universe was three minutes old it was already light years in size and its temperature was down to 10⁹ K (1 billion degrees Kelvin). Now protons and neutrons began to stick together to form nuclei of helium and other light elements.

At 300 000 years the Universe was cool enough (about 3000K) to allow <u>atomic nuclei</u> to bind with electrons to form atoms.

The Universe was now filled with a cloud of gas, mainly hydrogen and helium.

As the Universe expanded it cooled down. The gas cloud split up and these clumps eventually began to collapse under their own gravity. They became the places where stars are formed. These stars grouped together into galaxies and the Universe continued to expand and cool down, as it has been doing for about 15 billion years.

Edit View Go Bookmarks Options Directory Help File

							N	etscape			
		Çav Xəsk	ocj Farward	份 Home	este sd	Six) Integes	⊏>∘ 20002 Open	e Prin	ini Fras	Stop	
1	Go	to:	http://sh	nu.ac.uk/so	chools/pri/in	idex.htm					
	W	hat's N	ew? What	t's Cool?	Handboo	k Net	Search	Net Directo	ory News	sgroups	
ſ									Sta	rter Pack	k page 4

Starter Pack page 4

Looking for evidence inside the atom

Theories are all very well, but we need evidence that the theories are correct. Looking for evidence that the 'Big Bang' theory is correct involves not only astronomical research, but also research into particle physics.

If quarks and leptons exist, it should be possible to find them. To do this you need to recreate the conditions that existed in the early Universe. So, massive machines called particle accelerators were built, like the one at <u>CERN</u> in Geneva. These smash together particles like electrons and positrons to investigate what happens. Particle physicists have discovered six quarks and are now looking for other 'exotic' particles. They are also investigating the forces that bind quarks together. The machines that are used are enormously expensive to build and use and so they are financed by several countries and staffed by scientists from these countries.

Edit View Go Bookmarks Options Directory Help File

							N	etscape			
		Çav Xəsk	ocj Foanerand	谷 Home	Celosd Pelosd	Sir) Kotopes	⊏>∘ 20222 Open	en Prin	220 12212 12212	Stop	
1	Go	to:	http://sh	nu.ac.uk/so	chools/pri/in	dex.htm					
	W	nat's N	ew? Wha	t's Cool?	Handboo	k Net	Search	Net Directo	ory News	sgroups	
Γ									Sta	arter Pac	k page 5

Starter Pack page 5

Invisible astronomy

Until this century astronomers learned about the Universe by observing the light from distant stars and galaxies. Now they also use instruments that can detect waves from the whole electromagnetic spectrum to study bodies that are invisible to us.

Radio telescopes were used to discover guasars and pulsars.

Infrared dectectors allow us to see inside molecular gas clouds to learn more about how stars form.

Ultraviolet rays and X-rays are given out by extremely hot objects such as guasars and pulsars. U.V. and X-ray telescopes can only be used in satellites, since these waves are absorbed by our atmosphere, and so would not get through to a telescope on the surface of the Earth.

Ultraviolet rays are absorbed by cold interstellar gas, and so can be used to study this material. X-rays are given out when material falls into black holes.

Gamma rays are produced by violent energetic sources, such as supernovae, pulsars and quasars. There are also very powerful sources, called gamma-ray bursters which mysteriously appear and then vanish after a few seconds. No one knows what generates these bursts of energy.

Options Edit View Go Bookmarks Directory Help File

							N	etscape			
		Çeo Xeox	ocj Fermand	份 Home	Refered	Ni) Kolegels	t}∘ 2000 Open		22. 121.2 F 12.5		
1	Got	to:	http://sh	nu.ac.uk/so	chools/pri/ir	idex.htm					
L	٧ł	nat's N	ew? What	t's Cool?	Handboo	k Net	Search	Net Direct	ory New:	sgroups	
Γ									Star	ter Pack	page 6

Starter Pack page 6

Dark Matter

It is estimated that there are 300 billion galaxies in the Universe. If you take this figure and multiply it by the average mass of a galaxy, the total mass of all the matter we can see adds up to less than 1% of the mass of all the matter there should be in the Universe according to the Big Bang theory.

So there must be a vast amount of matter we cannot see - which is why it is called "Dark Matter". Some mass can be accounted for by black holes and brown dwarfs. Some matter is in the void between galaxies, and yet more must be inside galaxies themselves. Astronomers have calculated that the spiral arms of galaxies would break up if they only contained the matter we can see. This means that the visible material must be surrounded by matter we cannot see. Yet more mass may be contained in 'exotic' particles such as neutrinos and WIMPS (Weakly Interacting Massive Particles). Research into these is being carried out at the Rutherford Appleton Laboratory and in a deep salt mine in Boulby, North Yorkshire.

It is important to find out the total mass of the Universe, since from this we can determine the fate of the Universe: will it be the Continous Expansion Theory or the Steady State Theory or the **Big Crunch Theory** that is correct? This is one of the most important questions in science that is yet to be answered.